

شركة الألواح الخشبية التجارية

شركة الألواح الخشبية
WOOD
PANELS^{LLC}

بالشراكة مع

D DOUAIHY
Pour Le Bois



STARWOOD COLLECTION 2024

تشكيلة ستاروود 2024

MFC MELAMINE FACED CHIPBOARDS

ABOUT:

MFC CONSISTS OF WOOD PARTICLES PRESSED WITH ADHESIVE RESIN TO FORM A CORE. A PROTECTIVE AND DECORATIVE MELAMINE OVERLAY, INFUSED WITH RESIN, IS THEN APPLIED TO DETERMINE ITS FINAL APPEARANCE.

CHARACTERISTICS:

VERSATILITY, COST EFFECTIVENESS, DURABILITY, LARGE COLOR AND TEXTURE VARIETY, EASY TO CLEAN AND MAINTAIN, NON-POROUS AND WATER RESISTANT - SUITABLE FOR BOTH RESIDENTIAL AND COMMERCIAL APPLICATIONS.

APPLICATIONS:

HEALTHCARE AND FOOD ENVIRONMENTS, HIGH-TRAFFIC SPACES, FURNITURE, KITCHEN AND BATHROOM CABINETS, CUPBOARDS, SHELVES, WARDROBES, DESKS AND MORE.



شيبورد الميلامين

نبذة مختصرة:

تتكون شيبوردات الميلامين MFC من جزيئات الخشب المضغوطة مع راتنج لاصق لتكوين قلب. يتم بعد ذلك تطبيق طبقة ميلامين واقية وزخرفية، مملوءة بالراتنج، لتحديد مظهرها النهائي.

الخصائص:

تعدد الاستخدامات، فعالية التكلفة، المتانة، تنوع كبير في الألوان والملمس، سهل التنظيف والصيانة، غير مسامي ومقاوم للماء- مناسبة للماحات السكنية والتجارية.

الاستخدامات:

بيئات الرعاية الصحية والغذاء، والمساحات ذات حركة المرور العالية، والأثاث، وخزائن المطبخ والحمام، والخزائن، والأرفف، المكاتب وغيرها.

EDGE BANDING

ABOUT:

EDGE BANDING IS A FINISHING PRODUCT MADE OF PVC OR ABS, IT IS A THIN AND FLEXIBLE BAND APPLIED TO THE EDGES OF PANELS TO CONCEAL SIDE AREAS AND PREVENT MOISTURE DAMAGE WHILE ENSURING MATCHING COLOR, GRAIN, AND TEXTURE FOR A POLISHED APPEARANCE.

CHARACTERISTICS:

PROTECTION, AESTHETICS, VERSATILITY, FLEXIBILITY, DURABILITY, EASE OF MAINTENANCE AND INSTALLATION AS WELL AS COMPATIBILITY WITH ALL WOOD AND NON-WOOD SURFACES.

APPLICATIONS:

EDGE BANDING IS USED ON ALL MFC, MDF, PLYWOOD, NATURAL WOOD OR OTHER SURFACES.

AVAILABLE SIZES:

100 METER ROLLS OF 0.8MM TO 2MM THICKNESS, WITH VARIANT BELT SIZES OF 22 MM, 28 MM, 40 MM AND 50 MM WIDE.



احزمة تقشيط

نبذة مختصرة:

منتج تشطبيي مصنوع من PVC أو ABS، وهو شريط ومرن يتم تطبيقه على حواف الألواح لإخفاء المناطق المكشوفة ومنع تلف الرطوبة مع ضمان تطابق اللون والنسيج والقوام للحصول على مظهر مصقول.

الخصائص:

الحماية، الجماليات، التنوع، المرونة، المتانة، سهولة الصيانة والتركيب، بالإضافة إلى التوافق مع جميع الأسطح الخشبية وغير الخشبية.

الاستخدامات:

تُستخدم الأطراف على جميع ألواح MFC، MDF، الخشب الرقائقي، الخشب الطبيعي أو الأسطح الأخرى.

المقاسات المتوفرة:

بكرات بطول 100 متر وبسماكة من 0.8 ملم إلى 2 ملم، مع أحجام شريط متنوعة بعرض 22 ملم، 28 ملم، 40 ملم و50 ملم.

P2 SUPERFINE MFC



18mm P2-SUPERFINE CHIPBOARD TECHNICAL FEATURES

Chipboard Standard: TS EN 312 (P2)*

Specific Weight **	: 630 kg/m ³ (±15 kg/m ³)
Internal Bond	: 0,35 N/mm ² (min)
Bending Strength	: 11 N/mm ² (min)
Modulus Of Elasticity in Bending	: 1600 N/mm ² (min)
Thickness Tolerans	: ± 0,3mm
Moisture Content	: % 5-13
Release of formaldehyde	: E1(≤8mg/100gr for oven dry board)

Laminated Chipboard (surface) Standard: TS EN 14322

Abrasion Resistance	: 150 cycle
Resistance to Cracking	: 70 °C 24 hour
Water Steam Resistance	: 1 hour
Resistance to Staining	: 24 hour

* : P2 – Boards used indoors in dry conditions (including furniture)

** : Specific Weight does not indicate in no ways by standart. The given value is an average value for STARWOOD ORMAN ÜRÜNLERİ A.Ş. 18mm thickness of chipboards.

NOTE: Chipboard values characterised into the material with %65'lik relative moisture and corresponded to temperature of 20 °C moisture content.

P7 MOISTURE RESISTANT



18mm P7- WATER RESISTANT CHIPBOARD TECHNICAL FEATURES

Chipboard Standard: TS EN 312 (P7)*

Specific Weight **	: 700 kg/m ³ (±15 kg/m ³)
Internal Bond	: 0,70 N/mm ² (min)
Bending Strength	: 20 N/mm ² (min)
Modulus Of Elasticity in Bending	: 3100 N/mm ²
Swelling to thickness (24 hours)	: % 10
Internal adhesion after boiling	: 0,23 N/mm ² (min)
Thickness Tolerans	: ± 0,3mm
Moisture Content	: % 5-13
Release of formaldehyde	: E1(≤8mg/100gr for oven dry board)

Laminated Chipboard (surface) Standard: TS EN 14322

Abrasion Resistance	: 150 cycle
Resistance to Cracking	: 70 °C 24 hour
Water Steam Resistance	: 1 hour
Resistance to Staining	: 24 hour

* : P7 – Heavy load bearing plates used in moisture conditions

** : Specific Weight does not indicate in no ways by standart. The given value is an average value for STARWOOD ORMAN ÜRÜNLERİ A.Ş. 18mm thickness of chipboards.

NOTE: Chipboard values characterised into the material with %65'lik relative moisture and corresponded to temperature of 20 °C moisture content.



TECHNICAL
CERTIFICATIONS
&
SPECIFICATIONS

STARWOOD 2024

SENKRON MFC COLLECTION

MOISTURE RESISTANT MFC COLLECTION

SENKRON MFC COLLECTION

SENKRON IS PART OF THE PANGEA COLLECTION OF STARWOOD THAT'S TYPICALLY MFC BOARDS THAT HAVE DEEP SYNCHRONIZED 3D TEXTURE ON TOP OF THE IMPREGNATED PAPER MATCHING THEIR DESIGN PATTERN.

SIZES: 280 X 210 X 8MM AND 280 X 210 X 8MM (WITH SOME IN MDF 6MM THICKNESS)



SW SIYAH SNK 002



SW ASYA SNK 328



SW AVRUPA SNK 326



SW AMERIKA SNK 329



SW AFRIKA SNK 327


MOISTURE RESISTANT MFC COLLECTION

THOUGH ALL MFC BOARDS ARE SOMEHOW RESISTANT TO MOISTURE, THE MOISTURE RESISTANT SERIES [MR] PROVIDE AN EVEN HIGHER RESISTANCE TO MOISTURE TO BE USED IN KITCHENS AND OTHER WATER PRONE SURFACES.


SIZES: 280 X 210 X 18MM



SW SIYAH BUTE MR 002




SW KUMTASI NT MR 139



SW ATLAS DUZ MR 044



SW LAKE GRI PRLK MR 159




SW KAR BEYAZ MR 066



SW DOLUNAY PRLK MR 161

326

Avrupa / SNK



AVAILABLE SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM

PVC:

1.0*22 & 40MM



327

Afrika / SNK



AVAILABLE MFC SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM

MDF SINGLE FACE:

- 280 x 210 x 6MM

PVC:

- 1.0*22, 40 & 50MM



328

ASYA / SNK



AVAILABLE SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM

PVC:

1.0*22 & 40MM



329

Amerika / SNK



AVAILABLE SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM

PVC:

1.0*22 & 40MM



002

Siyah Bute/ SNK



AVAILABLE SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM

PVC:


1.0*22 & 40MM




STARWOOD 2024

NORMAL MFC COLLECTION


STARWOOD NATURAL MFC RANGE TEXTURES AND COLORS




SW SIYAH BUTE 002



SW ATLAS DUZ 044




SW KUMTASI NT 139



SW DOLUNAY PRLK 161



SW GORDION DUZ 303




SW ZAMBAK DERIN 318



SW PAPATYA SM 322



SW FREZE SONOMO 017



SW VIZON KUMAS 062



SW BERLIN KEPI 142



SW BOHCA TEXTIL 285



SW EFES PRLK 305



SW LOTUS KEPI 319



SW KRISTAL SM 020



SW KAR BEYAZ BUTE 066




SW SOFYA KEPI 147




SW RAHLE DERIN SF 291



SW HITIT KEPI 306



SW YUNUS GOLGE 320



SW KARTAL SM 323



SW ULUDAG MESE 091




SW LAKE GRI PRLK 159



SW BENDIR PRLK 300



SW BALABAN GOLGE 317



SW KAPLAN GOLGE 321


PARTICLEBOARD FUSED WITH RESIN-IMPREGNATED PAPER TO FORM A PANEL WITH MANY COLORS AND TEXTURES ON SINGLE OR BOTH FACES

TYPICAL SIZES ARE:
280 x 210 x 8MM MFC
280 x 210 x 18MM MFC
280 x 210 x 25MM MFC

AVAILABLE 4, 5 AND 6MM MDF BOARDS FOR SELECT ITEMS

044

Atlas Duz



AVAILABLE SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

PVC:

1.0*22, 28 & 40MM



147

Sofya Kepi



AVAILABLE SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

PVC:

1.0*22 & 40MM



285

Bohca Textil



AVAILABLE MFC SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

MDF SINGLE FACE:

- 280 x 210 x 5MM

PVC:

1.0*22 &40MM



291

Rahle Derin



AVAILABLE SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

PVC:

1.0*22 & 40MM



300

Bendir Parlak



AVAILABLE SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM


PVC:

1.0*22 & 40MM



303

Gordion Duz



AVAILABLE SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

PVC:

1.0*22 & 40MM



305

Efes Parlak



AVAILABLE SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

PVC:

1.0*22 & 40MM



306

Hitit Kepi



AVAILABLE MFC SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

MDF SINGLE FACE:

- 280 x 210 x 5MM

PVC:

1.0*22 &40MM



317

Golge Balaban



AVAILABLE SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM


PVC:

1.0*22 & 40MM



318

Zambak Derin



AVAILABLE SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

PVC:

1.0*22 & 40MM



319

Lotus Kepi



AVAILABLE SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

PVC:

1.0*22 & 40MM



320

Yunus Golge



AVAILABLE SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM


PVC:

1.0*22 & 40MM



321

Kaplan Golge



AVAILABLE SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

PVC:

1.0*22 & 40MM



322

Papatya



AVAILABLE SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM


PVC:

1.0*22 & 40MM



323

Kartal



AVAILABLE SIZES:

- 280 x 210 x 8MM
- 280 x 210 x 18MM
- 280 x 210 x 25MM

PVC:

1.0*22 & 40MM



STARWOOD

MFC 2D TEXTURE RANGE

AVAILABLE SIZES:

280 x 210 x 8MM | 280 x 210 x 18MM | 280 x 210 x 25MM AND PVC EDGE BANDING OF 1.0 * 22MM, 28MM AND 40MM

142 Berlin Kepi



017 Freze Sonomo



ALSO AVAILABLE IN MDF 5MM

091 Uludag Mese




ALSO AVAILABLE IN MDF 4MM

020 Kristal SM



STARWOOD NATURAL MFC PLAIN COLOR RANGE [AVAILABLE SIZES: 280 x 210 x 8MM | 280 x 210 x 18MM | 280 x 210 x 25MM]

066 Kar Beyaz




ALSO AVAILABLE IN MDF 5MM

139 Kumtasi NT



161 Dolunay Parlak



ALSO AVAILABLE IN MDF 5MM

159 Lake Gri



ALSO AVAILABLE IN MDF 5MM

002 Siyah Bute



ALSO AVAILABLE IN MDF 5MM

062 Vizon Kumas

أطلب عينات الآن...

...وشكراً



ASK FOR **SAMPLES**

شركة الألواح الخشبية

WOOD
PANELS_{LLC}

دويهي للأخشاب

DOUAIHY
Pour Le Bois

شركة ببليسكرين ميديا



وكلاء البيع الحصريون
لشركة الألواح الخشبية
التجارية

طريق ابي الفضل الجيلي 6981، مستودع 3533 حي الطويق - الرياض |
المملكة العربية السعودية -
هاتف: | +966 53 888 74 95 | +966 53 698 88 41 | +966 11 277 75 57
info@woodpanelsco.com | www.woodpanelsco.com

Abi Al Fadl Al Jeeli 6981, Warehouse 3533 - Al Tuqaiq
District - Kingdom of Saudi Arabia

طريق الامام سعود بن فيصل ٦٩٨٣، منطقة الصحافة - مبنى نيو،
مكتب ٣ - الرياض | المملكة العربية السعودية.
هاتف: +966 11 562 27 22
info@publiscreenmedia.com | www.publiscreenmedia.sa

Al Imam Saud Ibn Faysal Rd 6983, Al Sahafah
District - Neo Bldg Office 3, Riyadh Saudi Arabia -
Tel: +966 11 562 27 22